TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3189 (6-51)

LIGHTSHIP OR LIGHT STATION LOG

MONTHLY SUMMARY

(Fill Out on Last Day of Month)

U. S. COAST GUARD Rose Island Light Station MONTH OF September 1960

SUPPLIES *(Light Station Only)*

	FUEL	DIESEL OIL, GAL.	GASOLINE, GAL.	LUB. OIL, GAL.	WATER, GAL.		
RECEIVED	2630		300	24	6200		
EXPENDED	300		10	0	3000		
REMAINING	2330		290	24	3200		

SUMMARY OF OPERATION *(Low Visibility, Fog and Calibration)*

		RADIO BEACON		
	FOG SIGNAL	LOW VISIBILITY	REGULAR CALIBRATION	SPECIAL BEACON CALIBRATION
TOTAL PREVIOUS MONTHS OF YEAR	443.40 HR.	HR.	HR.	HR.
TOTAL THIS MONTH	45:30 HR.	HR.	HR.	HR.
TOTAL YEAR TO DATE	489:10 HR.	HR.	HR.	HR.

GENERAL REMARKS ON CONDITION AND OPERATION OF UNIT
(Use Reverse Side for Additional Remarks. Explanation shall be made when "fair" or "poor" is checked)

	EXCELLENT	GOOD	FAIR	POOR	REMARKS
BUILDINGS OR HULL		X			
ILLUMINATING APPARATUS	X				
FOG SIGNAL		X			
RADIOBEACON					
MACHINERY					
BOATS (BY NO.)					
VEHICLES (BY NO.)					

NUMBER DISABLING INJURIES REPORTED None DAYS LOST None ACCIDENTAL DAMAGE TO PROPERTY, $ None

OTHER AIDS TO NAVIGATION FOR WHICH RESPONSIBLE

NAME	LL. NO.	CONDITION	REMARKS
Gull Rocks Light Sta.	547	Good	

(Use Other Side if Necessary)

CERTIFIED TO BE CORRECT

J. W. Owens
"J" "W" Owens, BM1
(Officer in Charge)

U. S GOVERNMENT PRINTING OFFICE 16—63539-2

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station,

DATE Thursday 1 Sept. 1960 LOCATION Newport Rhode Island.
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	~~C~~	0	30.00	—	66	F	—	—	3	—	—
0400	SW	2	29.98	—	68	F	—	—	3	—	—
0800	SW	3	29.96	—	68	F	—	—	3	—	—
1200	SW	4	29.88	—	72	BC	—	—	7	—	—
1600	SW	4	29.82	—	70	BC	—	—	7	—	—
2000	SW	2	29.82	—	70	~~BC~~ Z	—	—	5	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2630	24	6100
EXPENDED	10	—	100
REMAINING	2620	24	6000

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT		

MAIN LIGHT Time Extinguished 1100 Time Lighted 1800

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
0000	1100	11	00	
1800	2030	2	30	
TOTAL FOR DAY		13	30	
TOTAL FOR MONTH		13	30	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - Started Fog signal - checked Vis A/N
0400 - checked all Vis A/N
0800 - Colors - Turn to
1100 - Secured Fog Signal. + Main light
1200 - Chow
1300 - Turn to
1600 - Secured from work details, checked all Vis A/N
1800 - Main Light + Fog signal on.
1900 - Colors
2000 - Checked all Vis A/N
2030 - Fog signal secured.

CERTIFIED TO BE CORRECT

J. W. Amend BM
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Friday 2 Sept 1960 (Insert day of week, day, month, year) LOCATION Newport, R. I.

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	2	29.82	—	70	BC	—	—	7	—	—
0400	NW	2	29.90	—	66	BC	—	—	7		
0800	NW	2	29.90	—	70	BC	—	—	8	—	—
1200	NW	2	29.94	—	80	BC	—	—	8	—	
1600	SW	2	29.92	—	90	BC	—	—	8	—	—
2000	SW	2	29.92	—	74	BC	—	—	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2620	24	6000
EXPENDED	10	—	100
REMAINING	2610	24	5900

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT		

MAIN LIGHT Time Extinguished 0630 Time Lighted 1900

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED HR.	SIGNAL OPERATED MIN.	AIR PRES-SURE
TOTAL FOR DAY			00	
TOTAL FOR MONTH		13	30	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG HR.	LOW VISIBILITY AND FOG MIN.	ANT. CUR.	CALIBRATION SERVICES REGULAR RADIOBEACON HR.	CALIBRATION SERVICES REGULAR RADIOBEACON MIN.	CALIBRATION SERVICES SPECIAL CALIB. BEACON HR.	CALIBRATION SERVICES SPECIAL CALIB. BEACON MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - checked all Vis A/N.
0400 - checked all Vis A/N.
0630 - Main light secured.
0800 - Colors, turn to
1200 - chow.
1300 - Turn to
1500 - Changed main light.
1600 - Secured from work details - checked Vis A/N
1900 - Colors - main light on
2000 - checked all A/N

CERTIFIED TO BE CORRECT

J. W. Amas BM1
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Saturday 3 Sept. 1960 LOCATION Newport, R. I.
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	3	29.94	—	68	Bc	—	—	8	—	—
0400	W	2	29.98	—	62	Bc	—	—	8	—	—
0800	W	2	30.10	—	62	B	—	—	8	—	—
1200	SW	1	30.07	—	65	B	—	—	8	—	—
1600	SW	1	30.03	—	70	B	—	—	8	—	—
2000	SW	2	30.0	—	67	B	—	—	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2610	24	5900
EXPENDED	10	—	100
REMAINING	2600	24	5800

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0630 Time Lighted 1900

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY			00	
TOTAL FOR MONTH		13	30	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - Checked all Vis A/N
0400 - Checked all Vis A/N
0630 - Main Light secured.
0800 - Colors - [illegible].
1200 - chow
1800 - colors main light on
2000 - checked all vis a n

CERTIFIED TO BE CORRECT

J. W. [illegible] BM
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Sunday 4 Sept. 1960 LOCATION Newport, R. I.
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	2	29.95	–	65	0	–	–	7	–	–
0400	SW	2	29.93	–	63	0	–	–	7	–	–
0800	SW	3	2.990	–	62	0	–	–	7	–	–
1200	SW	3	29.89	–	60	0R	–	–	8	–	–
1600	S	3	29.91	–	68	oR	–	–	7	–	–
2000	S	2	29.88	–	64	oc	–	–	7	–	–

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2600	24	5800
EXPENDED	10	–	100
REMAINING	2590	24	5700

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0630 Time Lighted 1900

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY			00	
TOTAL FOR MONTH		13	30	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - checked all vis a n
0400 - checked all vis a n
0630 - main light off
0800 - colors observed sabbath
1910 - colors main light on
2000 - checked all vis. a/n

CERTIFIED TO BE CORRECT

J-W. Owens BM1
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Monday 5 Sept 1960 LOCATION Newport, R.I.
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	2	29.82	—	60	B/C	—	—	7	—	—
0400	SSW	2	29.81	—	62	B/C	—	—	8	—	—
0800	SW	3	29.84	—	68	B/C	—	—	8	—	—
1200	SW	2	29.86	—	70	B/C	—	—	8	—	—
1600	SW	2	29.87	—	73	B/C	—	—	8	—	—
2000	NW	1	29.90	—	76	B	—	—	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2590	24	5700
EXPENDED	10	—	100
REMAINING	2580	24	5600

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0630 Time Lighted 1900

FOG SIGNAL (Low visibility only) — **RADIOBEACON** (Low visibility and calibration time only)

FOG SIGNAL TIME START	FOG SIGNAL TIME STOP	SIGNAL OPERATED		AIR PRES-SURE	RADIOBEACON TIME START	RADIOBEACON TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES REGULAR RADIOBEACON		CALIBRATION SERVICES SPECIAL CALIB. BEACON	
		HR.	MIN.				HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY			00		TOTAL FOR DAY								
TOTAL FOR MONTH		13	30		TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - checked all nia a m
0400 - checked all nia a m
0430 - main light off
0800 - colors
1900 - colors main light on
2000 - checked all nia a m

CERTIFIED TO BE CORRECT

J. W. Owens BM1
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Tuesday 6 Sept 1960 (Insert day of week, day, month, year) LOCATION Newport R. I.

TIME	WIND DIR.	WIND FORCE	BAROMETER	TEMP. °F. WET	TEMP. °F. DRY	WEATHER	CLOUDS FORM	CLOUDS AMT.	VIS.	SEA DIR.	SEA HEIGHT IN FT.
0000	NW	1	29.91	–	73	B	–	–	8	–	–
0400	NW	1	29.93	–	74	B	–	–	8	–	–
0800	NW	1	29.96	–	76	B	–	–	8	–	–
1200	NW	1	29.99	–	79	B	–	–	8	–	–
1600	N	1	30.09	–	79	B/C	–	–	8	–	–
2000	N	1	30.11	–	75	B/C	–	–	8	–	–

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2580	24	5600
EXPENDED	10	–	100
REMAINING	2570	24	5500

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	3	

MAIN LIGHT Time Extinguished 0630 Time Lighted 1900

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED HR.	SIGNAL OPERATED MIN.	AIR PRESSURE
TOTAL FOR DAY			00	
TOTAL FOR MONTH		13	30	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG HR.	LOW VISIBILITY AND FOG MIN.	ANT. CUR.	CALIBRATION SERVICES REGULAR RADIOBEACON HR.	REGULAR RADIOBEACON MIN.	SPECIAL CALIB. BEACON HR.	SPECIAL CALIB. BEACON MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - Checked all rts ok

0400 - checked all rts ok

0630 - main light off

0800 - colors turned to

1200 - chow

1300 - turned to

1600 - secured

1900 colors & Main light on

2000 checked all rts ok

CERTIFIED TO BE CORRECT

J. W. Owens Bm1

(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Wednesday 7 Sept 1960 LOCATION Newport R. I.
(Insert day of week, day, month, year)

TIME	WIND DIR.	WIND FORCE	BAROMETER	TEMP. °F. WET	TEMP. °F. DRY	WEATHER	CLOUDS FORM	CLOUDS AMT.	VIS.	SEA DIR.	SEA HEIGHT IN FT.
0000	N	1	30.13	—	70	B/C	—	—	8	—	—
0400	C	—	30.16	—	64	B	—	—	8	—	—
0800	C	—	30.19	—	65	B	—	—	8	—	—
1200	SW	2	30.16	—	67	B	—	—	8	—	—
1600	SW	3	30.18	—	68	B	—	—	8	—	—
2000	SW	2	30.16	—	65	B	—	—	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2570	24	5500
EXPENDED	10	—	100
REMAINING	2560	24	5400

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	3	

MAIN LIGHT Time Extinguished 0630 Time Lighted 1900

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED HR.	SIGNAL OPERATED MIN.	AIR PRESSURE
TOTAL FOR DAY			00	
TOTAL FOR MONTH		13	30	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG HR.	LOW VISIBILITY AND FOG MIN.	ANT. CUR.	CALIBRATION SERVICES REGULAR RADIOBEACON HR.	REGULAR RADIOBEACON MIN.	SPECIAL CALIB. BEACON HR.	SPECIAL CALIB. BEACON MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 checked all xis a/n

0400 checked all xis a/n

0630 Main light off

0800 colors + turned to

1200 chow down.

1300 Turn to

1600 Secured from work details + checked all A/n

1900 Colors - main light on.

2000 Checked all Xis A/n.

CERTIFIED TO BE CORRECT

J. W. Owens BM1
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Thursday 8 Sept. 1960 LOCATION Newport, R. I.
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	2	30.14	—	65	BC	—	—	8	—	—
0400	SW	3	30.14	—	66	BC	—	—	8	—	—
0800	SW	3	30.10	—	70	BC	—	—	8	—	—
1200	SW	3	30.07	—	72	BC	—	—	8	—	—
1600	SW	3	30,07	—	70	BC	—	—	8	—	—
2000	SW	2	30.06	—	68	BC	—	—	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2560	24	5400
EXPENDED	10	—	100
REMAINING	2550	24	5300

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT		

MAIN LIGHT Time Extinguished 0700 Time Lighted 1900

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRES-SURE
		HR.	MIN.	
~~1330~~				
TOTAL FOR DAY			00	
TOTAL FOR MONTH		13	30	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked all Vis A/N.
0400 Checked all Vis A/N
0700 Secured main light.
0800 Colors Turn to
1200 Chow
1300 Turn to
1400 Received supplies from Castle Hill L.B.S.
1600 Secured from work details. Checked all Vis A/N
1900 Colors Main light on.
2000 Checked all Vis A/N
1400 Rec'd verbal orders from Bos'n Campagna Group Commander that Gull Rocks was now the responsibility of Rose Island, and that written orders from CCGD1 would follow.

CERTIFIED TO BE CORRECT

J. W. Owens BM1
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Friday 9 Sept, 1960 LOCATION Newport, R. I.
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	C	—	30.06	—	66	BC	—	—	8	—	—
0400	C	—	30.06	—	68	BC	—	—	8	—	—
0800	SW	3	30.06	—	68	BC	—	—	8	—	—
1200	SW	3	30.04	—	70	BC	—	—	8	—	—
1600	SW	3	30.03	—	68	BC	—	—	8	—	—
2000	SW	2	29.96	—	67	Z	—	—	7	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2550	24	5300
EXPENDED	10	—	100
REMAINING	2540	24	5200

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED		
ATTACHED		
AL, AWL, AOL		
AH		
PRESENT		

MAIN LIGHT Time Extinguished 0630 Time Lighted 1900

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRES-SURE
		HR.	MIN.	
2030	2300	2	30	
TOTAL FOR DAY		2	30	
TOTAL FOR MONTH		16	00	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ________ TIME STOP ________

RADIOBEACON TEST

TIME START ________ TIME STOP ________

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - checked all Vis A/N

0400 - checked all Vis A/N

0630 - Secured main light

0800 - Colors, Turn to.

0930 - Tug from Bristol depot arrived with supplies.

1200 - chow

1300 - Turn to

1600 - Secured from work details - checked all Vis A/N

1900 - Colors - Turned on main light.

2000 - Checked All Vis A/N.

2030 - Started Fog signal + Bell for Gull Rocks.

2215 - Timer on Fog signal # failed to operate properly - switched to #

2300 Secured Fog signal + Bell for Gull Rocks

CERTIFIED TO BE CORRECT

J-W. Ames BM1

(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Saturday 10 Sept 1960 LOCATION Newport, R. I.
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	2	29.92	–	67	BC	–	–	8	–	–
0400	SW	2	29.90	–	68	BC	–	–	8	–	–
0800	SW	2	29.90	–	72	C	–	–	8	–	–
1200	SW	2	29.92	–	74	BC	–	–	8	–	–
1600	SW	2	29.96	–	74	BC	–	–	8	–	–
2000	SW	1	29.98	–	68	BC	–	–	8	–	–

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2540	24	5200
EXPENDED	10	–	100
REMAINING	2530	24	5100

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished ~~[illegible]~~ 0645 Time Lighted ~~[illegible]~~ 1845

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY			00	
TOTAL FOR MONTH		16	00	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked all Vis A/N

0400 Checked all Vis A/N

0645 Secured main light.

0800 Colors, Turn to

1200 Chow

1300 Turn to

1600 Secured from Work details - Checked all Vis A/N

1845 Colors - Turned on main light

2000 Checked all Vis A/N

CERTIFIED TO BE CORRECT

J. W. Owens BM1

(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Sunday 11 Sept. 1960 (Insert day of week, day, month, year) LOCATION Newport, R. I.

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	2	30.00	-	64	BC	-	-	8	-	-
0400	C	-	30.02	-	62	BC	-	-	8	-	-
0800	W	1	30-04	-	64	C	-	-	8	-	-
1200	NE	2	30.00	-	66	BC	-	-	8	-	-
1600	NE	2	29.94	-	64	C	-	-	8	-	-
2000	NE	3	29.92	-	64	K	-	-	8	-	-

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2530	24	5100
EXPENDED	10	-	100
REMAINING	2520	24	5000

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0645 Time Lighted 1845

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRES-SURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH		16	00	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ____ TIME STOP ____

RADIOBEACON TEST

TIME START ____ TIME STOP ____

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - checked all Vis A/N
0400 - checked all Vis A/N
0645 - Secured Main light
0800 - Colors.
1200 - Chow - checked all Vis A/N
1600 - Checked all Vis A/N.
1845 - Colors, Main Light on
2000 - Checked all Vis A/N
2145 - Set Condition # 2 (Hurricane)

CERTIFIED TO BE CORRECT

J. W. Owens BM1
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Monday 12 Sept. 1960 LOCATION Newport R. I.
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NE	3	29.86	—	63	C	—	—	8	—	—
0400	NE	4	29.78	—	62	C	—	—	7	—	—
0800	NE	4	29.78	—	61	C	—	—	7	—	—
1200	NE	6	29.36	—	70	O-R	—	—	7	—	—
1600	SE	11	28.84	—	64	O-R	—	—	6	—	—
2000	SW	10	29.17	—	67	C	—	—	7	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2520	24	5000
EXPENDED	10	—	100
REMAINING	2510	24	4900

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	3	

MAIN LIGHT Time Extinguished 24 cycle Time Lighted

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRES-SURE
		HR.	MIN.	
0245	0415	1	30	
0630	0715	1	45	
1325	1930	6	—	
TOTAL FOR DAY		9	15	
TOTAL FOR MONTH		25	15	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - Checked all Vis A/N
0245 - Started Fog signal (Rain). + Gull Rock Bell.
0400 - Checked all Vis A/N
0415 - Secured fog signal + Gull Rock Bell.
0600 - Set Hurricane Condition # 1
0630 - Started Fog signal + Gull Rock Bell.
0715 - Secured Fog signal + Gull Rocks Bell
0800 - Colors. Checked all Vis A/N
1200 - Chow - Checked all Vis A/N
1325 - Started Fog signal + Gull Rocks Bell
1600 - Checked all Vis A/N
1650 - Commercial Power failure - Started Aux Gen. & Fog signal compressor. All aids normal.
1930 - fog horn off
2000 - checked all vis. A/N
2145 Aux Gen off, on shore power

CERTIFIED TO BE CORRECT

J. W. Ames BM1
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Tuesday 13 Sept 1960 LOCATION Newport Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	5	29.30	–	64	BC	–	–	8	–	–
0400	SW	3	29.46	–	62	BC	–	–	8	–	–
0800	SW	3	29.64	–	62	BC	–	–	8	–	–
1200	SW	2	29.64	–	63	BC	–	–	8	–	–
1600	SW	3	29.67	–	60	B/C	–	–	8	–	–
2000	SW	3	29.71	–	58	B/C	–	–	8	–	–

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2510	24	4900
EXPENDED	10	–	100
REMAINING	2500	24	4800

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	3	

MAIN LIGHT Time Extinguished 0645 Time Lighted 1845

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH		25	15	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ________ TIME STOP ________

RADIOBEACON TEST

TIME START ________ TIME STOP ________

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 checked all Vis A/N
0110 Secured from Hurricane Condition Resumed normal operation.
0400 checked all Vis A/N.
0645 Secured main light.
0800 Colors - Turn to
1200 Chow.
1300 turned to
1600 secured & checked all viz a/n
1845 colors & main light on
2000 checked all viz a/n

CERTIFIED TO BE CORRECT

J. W. [illegible]
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Wednesday 14 Sept 1960 (Insert day of week, day, month, year) LOCATION Newport, Rhode Island

TIME	WIND DIR.	WIND FORCE	BAROMETER	TEMP. °F. WET	TEMP. °F. DRY	WEATHER	CLOUDS FORM	CLOUDS AMT.	VIS.	SEA DIR.	SEA HEIGHT IN FT.
0000	SW	2	29.78	–	60	B/C	–	–	2	–	–
0400	SW	3	29.83	–	65	B/C	–	–	8	–	–
0800	SW	4	29.88	–	68	B/C	–	–	8	–	–
1200	NW	2	29.93	–	73	B/C	–	–	8	–	–
1600	NW	1	29.95	–	70	B	–	–	8	–	–
2000	NW	1	29.96	–	67	B	–	–	8	–	–

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2500	24	4800
EXPENDED	10	–	100
REMAINING	2490	24	4700

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0645 Time Lighted 1845

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED HR.	SIGNAL OPERATED MIN.	AIR PRES-SURE
TOTAL FOR DAY				
TOTAL FOR MONTH		25	15	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG HR.	LOW VISIBILITY AND FOG MIN.	ANT. CUR.	CALIBRATION SERVICES REGULAR RADIOBEACON HR.	REGULAR RADIOBEACON MIN.	SPECIAL CALIB. BEACON HR.	SPECIAL CALIB. BEACON MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ____ TIME STOP ____

RADIOBEACON TEST

TIME START ____ TIME STOP ____

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 checked all is o.k.
0400 checked all is o.k.
0640 Main light off
0800 colors & turned to
1200 chow
1300 turned to
1600 - secured
1845 - Colors
2000 - checked all is o.k.

CERTIFIED TO BE CORRECT

J. W. Ames
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Thurs 15 Sept 1960 (Insert day of week, day, month, year) LOCATION Newport Rhode Island

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	1	29.94	—	64	B	—	—	8	—	—
0400	SW	1	30.07	—	60	B	—	—	8	—	—
0800	SW	1	30.012	—	68	B/C	—	—	8	—	—
1200	SW	1	30.11	—	69	B/C	—	—	8	—	—
1600	SW	2	30.13	—	67	C	—	—	8	—	—
2000	SW	2	30.15	—	64	C	—	—	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2490	24	4700
EXPENDED	10	—	100
REMAINING	2480	24	4600

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0646 Time Lighted 1845

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH		25	15	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - checked all nis a/w
0400 - checked all nis a/w
0645 - checked all nis a/w main light off
0800 - colors turned to
1200 - chow
1600 - secured
1845 - colors main light off
2000 - checked all nis a/w

CERTIFIED TO BE CORRECT

J. W. Ames
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Friday 16 Sept 1960 (Insert day of week, day, month, year) LOCATION Newport Rhode Island

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NW	1	30.20	–	60	C	–	–	7	–	–
0400	NW	2	30.21	–	58	C	–	–	7	–	–
0800	NW	2	30.22	–	64	B/C	–	–	7	–	–
1200	NW	2	30.28	–	72	BC	–	–	8	–	–
1600	NW	2	30.34	–	74	BC	–	–	8	–	–
2000	NW	2	30.40	–	54	BC	–	–	7	–	–

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2480	24	4600
EXPENDED	10	–	100
REMAINING	2470	24	4500

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0645 Time Lighted 1845

FOG SIGNAL (Low visibility only) **RADIOBEACON** (Low visibility and calibration time only)

FOG SIGNAL					RADIOBEACON								
TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE	TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
										REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.				HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY					TOTAL FOR DAY								
TOTAL FOR MONTH		25	15		TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - checked all vis a/n

0400 - checked all vis a/n

0645 - main light off

0800 - turned to - colors

1200 - Chow

1300 - Turn to

1600 - Secured from work detail, checked all vis A/N

1845 - Colors - Turned on main light.

1915 - Called Castle Hill and informed them that Ft Adams light was not on.

1930 - Fort Adams light burning.

2000 - checked all vis A/N.

CERTIFIED TO BE CORRECT

J. W. Owens BM1
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Saturday 17 Sept 1960 (Insert day of week, day, month, year) LOCATION Newport Rhode Island

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NW	2	30.40	–	52	BC	–	–	7	–	–
0400	NW	2	30.42	–	50	BC	–	–	8	–	–
0800	NW	–	30.40	–	58	BC	–	–	8	–	–
1200	NW	2	30.34		60	BC	–	–	8	–	–
1600	NW	2	30.32	–	60	BC	–	–	8	–	–
2000	NW	2	30.30	–	58	BC	–	–	8	–	–

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2470	24	4500
EXPENDED	10	–	100
REMAINING	2460	24	4400

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0645 Time Lighted 1845

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRES-SURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH		25	15	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked all Vis A/N

0400 Checked all Vis A/N

0645 Secured main light.

0800 Colors - Turned to.

1200 Chow

1300 Turn to

1600 Secured from work detail - checked all Vis A/N

1845 Colors - Turned on main light

1930 Informed Castle Hill LBS that Ft. Adams light was out -

2000 Checked all Vis A/N.

CERTIFIED TO BE CORRECT

J. W. Owens BM1
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Sunday 18 Sept. 1960 (Insert day of week, day, month, year) LOCATION Newport Rhode Island

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	C	—	30.26	—	56	c	—	—	8	—	—
0400	c		30.22	—	58	c	—	—	8	—	—
0800	SW	2	30.18	—	60	c	—	—	8	—	—
1200	SW	2	30.14	—	64	c	—	—	8	—	—
1600	SW	2	30.10	—	64	c	—	—	8	—	—
2000	SW	2	30.08	—	64	c	—	—	7	—	—

SUPPLIES (Vessel Report Daily)	FUEL OIL OR GASOLINE	LUB. OIL	WATER	COMPLEMENT	MILITARY	CIVILIAN
				AUTHORIZED	3	
				ATTACHED	3	
RECEIVED	2460	24	4400	AL, AWL, AOL		
				AH		
EXPENDED	10	—	100			
REMAINING	2450	24	4300	PRESENT	2	

MAIN LIGHT Time Extinguished 0645 Time Lighted 1845

FOG SIGNAL (Low visibility only)					RADIOBEACON (Low visibility and calibration time only)								
TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE	TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
										REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.				HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY					TOTAL FOR DAY								
TOTAL FOR MONTH		25	15		TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ____ TIME STOP ____

RADIOBEACON TEST

TIME START ____ TIME STOP ____

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - Checked all Vis A/N

0400 - Checked all Vis A/N

0645 - Secured main light.

0800 - Colors - Turn to.

1200 - Chow

1300 - Turn to

1600 - Secured from work details - Checked all Vis A/N

1845 - Colors - Main Light on

2000 - Checked all Vis A/N

CERTIFIED TO BE CORRECT

J. W. Ayers BM1
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Monday 19 Sept 1960 (Insert day of week, day, month, year) LOCATION Newport, Rhode Island

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NW	1	30.10	–	60	C	–	–	8	–	–
0400	NW	1	30.10	–	62	C	–	–	7	–	–
0800	NW	2	30.10	–	62	O-M	–	–	7	–	–
1200	NW	2	30.14	–	62	O	–	–	7	–	–
1600	NW	2	30.12	–	58	O	–	–	7	–	–
2000	NW	2	30.10	–	56	O-R	–	–	7	–	–

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2450	24	4300
EXPENDED	10	–	100
REMAINING	2440	24	4200

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0645 Time Lighted

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH		25	15	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START TIME STOP

RADIOBEACON TEST

TIME START TIME STOP

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - Checked all Vis A/N

0400 - Checked all Vis A/N

0645 - Secured main light.
0800 - Colors - Turn to.
1200 - Chow
1300 - Turn to.
1600 - Secured from work details - checked all Vis A/N.
1845 - Colors - Main light on.
1915 - Called ~~Called~~ Castle Hill on Ft. Adams light out -
2000 - checked all Vis A/N Ft Adams light still out
2100 - Called Castle Hill about Ft Adams light and was
informed by Chief Eager BMC that cable was out -

CERTIFIED TO BE CORRECT

J. W. Ayer BM
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Tuesday 20 Sept 1960 LOCATION Newport, Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NW	3	30.05	—	56	O-R	—	—	7	—	—
0400	NW	4	30.02	—	58	O-R	—	—	6	—	—
0800	NW	3	30.00	—	58	O-R	—	—	5	—	—
1200	NW	2	29.94	—	58	OF	—	—	7	—	—
1600	NW	3	29.96	—	58	O	—	—	8	—	—
2000	NW	3	2998	—	54	O	—	—	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2440	24	4200
EXPENDED	10	-	100
REMAINING	2430	24	4100

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0700 Time Lighted 1845

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRES-SURE
		HR.	MIN.	
0415	0700	2	45	
0735	0910	1	45	
TOTAL FOR DAY		4	30	
TOTAL FOR MONTH		29	45	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 checked all Vis A/N

0400 Checked all Vis A/N

0415 Started Fog Signal and Gull Rock Bell

0700 Secured Fog Signal & Light. and Gull Rock Bell

0735 Started Fog Signal and Gull Rock Bell

0800 Colors - Turn to

1200 Chow -

1300 Turn to -

1600 Secured from work details - checked all Vis A/N.

1845 Colors - Main light on

2000 checked all Vis A/N

CERTIFIED TO BE CORRECT

J. W. Owen BM1
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Wednesday 21 Sept 1960 LOCATION Newport, Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NW	2	30.04	—	50	C	—	—	8	—	—
0400	NW	3	30.06	—	58	C	—	—	8	—	—
0800	NW	2	30.10	—	80	BC	—	—	8	—	—
1200	NW	2	30.12	—	74	BC	—	—	8	—	—
1600	NW	3	30.14	—	66	BC	—	—	8	—	—
2000	NW	2	30.14	—	66	BC	—	—	8	—	

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2430	24	4100
EXPENDED	10	—	100
REMAINING	2420	24	4000

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0645 Time Lighted 1845

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH		29	45	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked all Vis A/N.
0400 Checked all Vis A/N
0645 Secured main light
0800 Colors - Turn to
1200 Chow
1300 Turn to
1600 Secured from work details - Checked all Vis A/N
1845 Colors - Main light on.
2000 Checked all Vis A/N

2

CERTIFIED TO BE CORRECT

J. W. [illegible]
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Thursday 22 Sept 1960 LOCATION Newport Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NW	2	30.14	–	60	BC	–	–	8	–	–
0400	NW	2	30.18	–	56	BC	–	–	8	–	–
0800	NW	2	30.24	–	56	BC	–	–	8	–	–
1200	N	2	30.24	–	57	B	–	–	8	5	–
1600	S	1	30.24	–	61	B	–	–	8	–	–
2000	S	1	30.24	–	60	B	–	–	8	–	–

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2420	24	4000
EXPENDED	10	–	100
REMAINING	2410	24	3900

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0645 Time Lighted 1845

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH		29	45	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 checked all Vis A/n

0410 checked all Vis A/n

0645 Secured main light

0800 - colors turned to

1200 - chow

1300 - turned to

1600 - secured

1845 - main light on colors

2000 - checked all vis a n

CERTIFIED TO BE CORRECT

J. W. Owens Bm1
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Friday 23 Sept 1960 (Insert day of week, day, month, year) LOCATION Newport Rhode Island

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	C	–	30.20	–	57	B	–	–	8	–	–
0400	C	–	30.19	–	56	B	–	–	8	–	–
0800	C	–	30.18	–	60	B	–	–	8	–	–
1200	S	1	30.18	–	67	B	–	–	8	–	–
1600	S	1	30.19	–	65	B	–	–	8	–	–
2000	S	1	30.19	–	60	B	–	–	8	–	–

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2410	24	3900
EXPENDED	10	–	100
REMAINING	2400	24	3800

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0645 Time Lighted 1845

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRES-SURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH		29	45	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - checked all vis a n

0400 - checked all vis a n

0645 - main light off

1800 - colors turned to

1200 - chow

1300 - turned to

1600 - secured

1845 - colors main light on

2000 - checked all vis a/n

CERTIFIED TO BE CORRECT

J. W. Owens BM1
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Saturday 24 Sept 1960 LOCATION Newport, Rhode Island.
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	S	1	8820	—	57	~~57~~	—	—	8	—	—
0400	S	1	31.21	—	54	~~54~~	—	—	8	—	—
0800	S	1	31.23	—	60	~~60~~	—	—	8	—	—
1200	SW	2	30.22	—	74	BC	—	—	8	—	—
1600	SW	2	30.22	—	80	BC	—	—	8	—	—
2000	W	3	30.22	—	72	BC	—	—	8		

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2400	24	3800
EXPENDED	10	—	100
REMAINING	2390	24	3700

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	3	

MAIN LIGHT Time Extinguished 0645 Time Lighted 1845

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH		29	45	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ________ TIME STOP ________

RADIOBEACON TEST

TIME START ________ TIME STOP ________

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 - checked all vis a/n

0400 - checked all vis a/n

0645 - main light off

0800 turned to colors

1110 Power failure emerg - Gen in oper

1200 - chow 1120 Gen secured

1300 Turn to

1600 Secured from work details. Checked all A/N.

1845 Colors - main light on -

2000 Checked all Vis A/N.

CERTIFIED TO BE CORRECT

J. W. Ames BM
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Sunday 25 Sept 1960 LOCATION Newport Rhode Island.
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NW	2	30.26	—	60	c	—	—	8	—	—
0400	NW	2	30.28	—	56	c	—	—	8	—	—
0800	NW	3	30.30	—	56	c	—	—	8	—	—
1200	NW	3	3032	—	60	c	—	—	8	—	—
1600	NW	3	30.34	—	58	c	—	—	8	—	—
2000	NW	2	30.34	—	54	c	—	—	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2390	24	3700
EXPENDED	10	—	100
REMAINING	2380	24	3600

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0645 Time Lighted 1830

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH		29	45	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked all Lts A/N
0400 Checked all Lts A/N
0645 Main light off -
0800 Colors, Turn to.
1200 Chow.
1300 Turn to
1600 Secured from Work details - checked all Lts A/N
1830 Colors main light on.
2000 Checked all Lts A/N

CERTIFIED TO BE CORRECT

J. W. Owens BM1
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Monday 26 Sept 1960 LOCATION Newport Rhode Island
(Insert day of week, day, month, year)

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NW	2	30100	—	48	C	—	—	8	—	—
0400	NW	2	30-28	—	50	C	—	—	8	—	—
0800	NW	2	30-24	—	54	C	—	—	8	—	—
1200	W	2	30.20	—	75	C	—	—	8	—	—
1600	W	2	30.18	—	80	C	—	—	8	—	—
2000	NW	2	30 16	—	65	C	—	—	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2380	24	3600
EXPENDED	10	0	100
REMAINING	2370	24	3500

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	3	

MAIN LIGHT Time Extinguished 0700 Time Lighted 1830

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
TOTAL FOR DAY				
TOTAL FOR MONTH		29	45	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked all Vis A/N
0400 Checked all Vis A/N
0700 Secured main light.
0800 Turn to. Colors
1200 Chow
1300 Turn to
1600 Secured from work details - Checked all Vis A/N
2000 Checked all Vis A/N

CERTIFIED TO BE CORRECT

J. W. Owens BM1
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Tuesday 27 Sept 1960 (Insert day of week, day, month, year) LOCATION Newport, R. I.

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NW	2	30.14	~~60~~	60	C	—	—	8	—	—
0400	NW	2	30.12	—	54	C	—	—	8	—	—
0800	W	2	30.10	—	56	F	—	—	8	—	—
1200	W	2	30.08	—	60	BC	—	—	8	—	—
1600	W	2	30.04	—	64	BC	—	—	8	—	—
2000	W	2	30.02	—	58	BC	—	—	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2370	24	3500
EXPENDED	10	—	100
REMAINING	2360	24	3400

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	3	

MAIN LIGHT Time Extinguished 0700 - ~~073~~ 0915 Time Lighted 0730 - 0~~915~~ 1830

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
0730	0915	1	45	
2315	2400		45	
TOTAL FOR DAY		2	30	
TOTAL FOR MONTH		32	15	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked all Vis A/N

0400 Checked all Vis A/N

0700 Secured main light.

0730 Started Fog Signal

0800 Colors - Turn to -

0915 - secured fog signal

1010 - power off emergency generator now in operation.

1045 Generator off, commercial power back on line -

1200 Chow

1300 Turn to

1600 Secured from Work details - checked all Vis A/N

1830 Colors - Main light on

2000 Checked all Vis A/N

2315 Started Fog signal

CERTIFIED TO BE CORRECT

J. W. [illegible]
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Wednesday 28 Sept 1960 (Insert day of week, day, month, year) LOCATION Newport, Rhode Island

TIME	WIND DIR.	WIND FORCE	BAROMETER	TEMP. °F. WET	TEMP. °F. DRY	WEATHER	CLOUDS FORM	CLOUDS AMT.	VIS.	SEA DIR.	SEA HEIGHT IN FT.
0000	W	2	3000	—	56	F	—	—	4	—	—
0400	NW	2	29 96	—	58	C	—	—	7	—	—
0800	NW	2	29.94	—	60	C	—	—	7	—	—
1200	NW	2	29.92	—	68	C	—	—	7	—	—
1600	NW	2	29.92	—	64	C	—	—	7	—	—
2000	NW	2	29 90	—	58	C	—	—	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2360	24	3400
EXPENDED	10	—	100
REMAINING	2350	24	3300

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0700 Time Lighted 1830

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED HR.	SIGNAL OPERATED MIN.	AIR PRESSURE
0000	0345	3	45	
TOTAL FOR DAY		3	45	
TOTAL FOR MONTH		36	00	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG HR.	LOW VISIBILITY AND FOG MIN.	ANT. CUR.	CALIBRATION SERVICES REGULAR RADIOBEACON HR.	REGULAR RADIOBEACON MIN.	SPECIAL CALIB. BEACON HR.	SPECIAL CALIB. BEACON MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ________ TIME STOP ________

RADIOBEACON TEST

TIME START ________ TIME STOP ________

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked all Vis A/N
0345 Secured Fog signal
0400 Checked all Vis A/N
0700 Secured main light
0800 Colors - Turn to
1200 Chow
1300 Turn to
1600 Secured from Work details - Checked all Vis A/N
1830 Colors - Main light on.
2000 Checked all Vis A/N.

CERTIFIED TO BE CORRECT

J. W. Owens BM1
(Officer in Charge)

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Thursday 29 Sept 1960 (Insert day of week, day, month, year) LOCATION Newport Rhode Island

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	NW	~	29.90	—	54	C	—	—	8	—	—
0400	NW	~	29.90	—	56	C	—	—	8	—	—
0800	NW	2	29.90	—	58	C	—	—	8	—	—
1200	NW	~	29.90	—	66	C	—	—	8	—	—
1600	NE	2	29.90	—	65	C	—	—	8	—	—
2000	E	2	29.92	—	62	C	—	—	8	—	—

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2350	24	3300
EXPENDED	10	—	100
REMAINING	2340	24	3200

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	~	

MAIN LIGHT Time Extinguished 0700 Time Lighted 1810

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRES-SURE
		HR.	MIN.	
TOTAL FOR DAY		—		
TOTAL FOR MONTH		36	00	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000	checked all Vis A/N
0400	Checked all Vis A/N
0700	Secured main light-
0800	Colors - Turn to
1200	Chow
1300	Turn to
1600	Secured from work detail - Checked all Vis A/N
1815	Colors - Main light on -
2000	Checked all Vis A/N

CERTIFIED TO BE CORRECT

J. W. Owens BM1
(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1

TREASURY DEPARTMENT
U. S. COAST GUARD
CG-3188 (12-50)

LIGHTSHIP OR LIGHT STATION LOG

LOG OF THE U. S. COAST GUARD Rose Island Light Station

DATE Friday 30 Sept 1960 (Insert day of week, day, month, year) LOCATION Newport Rhode Island

TIME	WIND		BAROMETER	TEMP. °F.		WEATHER	CLOUDS		VIS.	SEA	
	DIR.	FORCE		WET	DRY		FORM	AMT.		DIR.	HEIGHT IN FT.
0000	SW	2	29.88	–	60	R	–	–	5	–	–
0400	SW	2	29.84	–	58	R	–	–	5	–	–
0800	SW	4	29.80	–	64	O-R	–	–	7	–	–
1200	SW	1	29.80	–	66	C	–	–	8	–	–
1600	W	2	29.81	–	62	C	=	=	7	–	–
2000	NW	2	29.88	–	58	F	–	–	5	–	–

SUPPLIES (Vessel Report Daily)

	FUEL OIL OR GASOLINE	LUB. OIL	WATER
RECEIVED	2340	24	3200
EXPENDED	10	–	100
REMAINING	2330	24	3100

COMPLEMENT

	MILITARY	CIVILIAN
AUTHORIZED	3	
ATTACHED	3	
AL, AWL, AOL		
AH		
PRESENT	2	

MAIN LIGHT Time Extinguished 0800 Time Lighted 1815

FOG SIGNAL (Low visibility only)

TIME START	TIME STOP	SIGNAL OPERATED		AIR PRESSURE
		HR.	MIN.	
1345	0630	3	15	
0700	0800	1	00	
0900	1000	1	00	
1330	1345		15	
2000	2400	4	00	
TOTAL FOR DAY		9	30	
TOTAL FOR MONTH		45	30	

RADIOBEACON (Low visibility and calibration time only)

TIME START	TIME STOP	LOW VISIBILITY AND FOG		ANT. CUR.	CALIBRATION SERVICES			
					REGULAR RADIOBEACON		SPECIAL CALIB. BEACON	
		HR.	MIN.		HR.	MIN.	HR.	MIN.
TOTAL FOR DAY								
TOTAL FOR MONTH								

FOG SIGNAL TEST

TIME START ______ TIME STOP ______

RADIOBEACON TEST

TIME START ______ TIME STOP ______

(OVER)

16—63545-1

RECORD OF THE MISCELLANEOUS EVENTS OF THE DAY

0000 Checked all Vis A/N

0315 Started Fog signal

0400 checked all Vis A/N

0630 Secured Fog signal

0700 Started Fog signal

0800 Secured fog signal - Colors - Turn to. Secured main light

0900 Started Fog signal

1000 Secured fog signal

1200 - chow

1300 - turned to

1330 - fog horn on

1345 - fog horn off

1500 - Received from Castle Hill L/B/S

(1) one dinghy 16 ft. in fair condition

Joseph Martel EN3

asst. o.in.c.

1600 - secured

1815 - main light on

2000 - fog horn on checked all vis a/n

CERTIFIED TO BE CORRECT

(Officer in Charge)

U. S. GOVERNMENT PRINTING OFFICE 16—63545-1